

FORMED RIDGE WITH PLUMB CURB (SHORT SPAN)

1/2 FULL SCALE

- o ACRYLIC, DOUBLE GLAZED
- o I-BEAM RAFTER (HL-27)
- o MIN. 4 IN 12 PITCH RECOMMENDED

HL-22 ALUM. CAP
MITERED & WELDED
AT CORNERS

#8 X 3/4" LONG HEX
HEAD TEK SCREW AT
24" ON CENTER

1/8" X 3/8" FOAM
GLAZING TAPE

MASTIC BEDDING
TAPE (BY OTHERS)

FASTENER
(BY OTHERS)

HL-34
ALUMINUM SILL

MATERIAL AND
CONSTRUCTION
BY OTHERS

O.D. CURB

1/2" SPACER
OR NEOPRENE
BLOCKING

INSULATED
ACRYLIC

#10 S.S. P.H.S.M.S.
WITH NEOPRENE
WASHER AT 12" O.C.

HL-36 CAP

1/8" X 3/8" FOAM
GLAZING TAPE

HL-27 ALUMINUM
RAFTER BAR

3
2

4
2

NOTE:
UNLIKE GLASS, A TRUE HERMETIC SEAL CANNOT BE ATTAINED WITH DOUBLE GLAZED ACRYLIC, SOME CONDENSATION MAY DEVELOPE. CLEAN ONLY WITH RECOMMENDED CLEANING SOLUTIONS.

ICBO #: 3710

FINISH : GLAZING : <input type="checkbox"/> FIELD GLAZED FIELD MEASUREMENTS <input type="checkbox"/> SHOP GLAZED AND INSTALLATION BY _____	PROJECT : CUSTOMER : ARCHITECT :	FILE : HL34ADG2 REVISIONS JOB NO. SHEET : <u>2</u> OF <u>2</u>
75 WILLIAMS AVENUE SAN FRANCISCO, CA 94124 TEL.: (415) 822-4222 FAX: (415) 822-5222		DRAWN : DATE :

