

LEAN-TO WITH PLUMB CURB (MEDIUM SPAN)

1/2 FULL SCALE

- o GLASS, INSULATED GLAZED
- o TUBULAR RAFTER (TB-3), SPACED GREATER THAN 2'-6" O.C.

UNITS REQUIRED

NEOPRENE SETTING BLOCKS AT 1/4 POINTS

HL-22 ALUM. CAP MITERED & WELDED AT CORNERS

.040 ALUM. SETTING BLOCK SUPPORT

#8 X 3/4" LONG HEX HEAD TEK SCREW AT 24" O.C.

WEEP HOLE

#12 X 1 1/4" STAINLESS STEEL SHEET METAL SCREW

WEEP HOLES AT RAFTERS & CORNERS

WORK POINT

HL-35 ALUM. SILL

FASTENER (BY OTHERS)

MATERIAL AND CONSTRUCTION BY OTHERS

O.D. CURB (ON SLOPE DIMENSION)

MASTIC BEDDING TAPE (BY OTHERS)

1/1 SLOPING SILL

PLAN DIMENSION

SPECIFY PITCH

COUNTER FLASHING (BY OTHERS)

FASTEN .040 ALUMINUM HEAD FLASHING TO C-13 CAP WITH SHEET METAL SCREW (BED IN SEALANT)

C-13 CAP BEYOND


.125 FORMED ALUM. PLATE (WELD TO RAFTER)

HL-38

ANCHOR BOLT BY OTHERS

2/1 LEAN-TO HEAD

WORK POINT



FINISH :

GLAZING :

FIELD GLAZED FIELD MEASUREMENTS AND INSTALLATION BY _____

SHOP GLAZED

PROJECT :

CUSTOMER :

ARCHITECT :

FILE : HLLT05A1

REVISIONS



75 WILLIAMS AVENUE
 SAN FRANCISCO, CA 94124
 TEL.: (415) 822-4222
 FAX: (415) 822-5222

DRAWN :

DATE :

JOB NO.

SHEET : 1 OF 2